


Adjusted Mean Change From Baseline To The End Of Study For
Individual symptom Score

Protocol: Emetasol Nasal Spray

Graph 3.9

Adjusted Mean Change from Baseline to the End of Study for Individual Symptom Score
(Intent-to-Treat)



* Baseline total symptom score and study center adjusted mean change

FIG. 1

Mean (Linear) 0-4h Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 2A

Mean (Linear) 0-4h Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 2B

Mean (Linear) 0-4h Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 2C

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 3A

7960-131

(SHEET 6 OF 10)

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 3B

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 1

Mean
Day 1




FIG. 3C

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 42

Mean
Day 42




FIG. 4A

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 42

Mean
Day 42




FIG. 4B

Mean (Linear) Metoclopramide Plasma Concentration-Time Profiles following a Single Oral or Nasal Spray Dose, Study Day 42

Mean
Day 42




FIG. 4C